

BIOLIFE ITALIANA S.R.L.

Revision nr.8 Dated 17/01/2025 Printed on 17/01/2025 Page n. 1 / 11 Replaced revision:7 (Dated 15/02/2022)

19171001 - KOVACS' REAGENT

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878

| SECTION 1. Identification of the subs | stance/mixture a | nd of the | e company/un | Idertaking |
|---|--------------------------|---------------|----------------------|----------------------------------|
| .1. Product identifier | | | | |
| Code: | 19171001 | | | |
| Product name | KOVACS' REAGENT | - | | |
| .2. Relevant identified uses of the substance or m | ixture and uses advis | ed against | | |
| Intended use | Reagent for microbi | ology | | |
| Identified Uses | Industrial | Profe | essional | Consumer |
| Laboratory chemical product. Test for Indole. | - | \checkmark | | • |
| .3. Details of the supplier of the safety data sheet | | | | |
| Name | BIOLIFE ITALIANA | S.R.L. | | |
| Full address | Viale Monza, 272 | | | |
| District and Country | 20128 Milano | | | (Milano) |
| | | , | | (mindito) |
| | Italia | | | |
| | Tel. 0039 0 | 2 252091 | | |
| e-mail address of the competent person | | | | |
| responsible for the Safety Data Sheet | mktg@biolifeitalian | a.it | | |
| .4. Emergency telephone number | | | | |
| For urgent inquiries refer to | NHS111in England: | 111 | | |
| 0 | NHS24in Scotland: 1 | 11 | | |
| | | | 4647 | |
| | NHS Direct in Wales | : 111 OF 0845 | 9 4647 | |
| | In an emergency, if t | the patient h | as collapsed or is | not breathing properly, call 999 |
| SECTION 2. Hazards identification | | | | |
| 2.1. Classification of the substance or mixture | | | | |
| The product is classified as hazardous pursuant to | the provisions set forth | in (EC) Requ | lation 1272/2008 ((| CLP) (and subsequent |
| amendments and supplements). The product thus r | | | | |
| 2020/878. | | | | |
| Any additional information concerning the risks for h | nealth and/or the enviro | nment are giv | ven in sections 11 a | and 12 of this sheet. |
| Hazard classification and indication: | | | | |
| Flammable liquid, category 3 | H2 | 226 | Flammable liquid a | and vapour. |
| Substance or mixture corrosive to metals, categorial | orv H2 | 290 | May be corrosive | to metals. |
| 1 | , | | | |
| | | 222 | Llormful if inholod | |

Acute toxicity, category 4H332Harmful if inhaled.Eye irritation, category 2H319Causes serious eye irritation.Skin irritation, category 2H315Causes skin irritation.Specific target organ toxicity - single exposure,
category 3H335May cause respiratory irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



EN



SECTION 2. Hazards identification ... / >>

| Signal words: | Warning |
|---------------------------|--|
| Hazard statements: | |
| H226 | Flammable liquid and vapour. |
| H290 | May be corrosive to metals. |
| H332 | Harmful if inhaled. |
| H319 | Causes serious eye irritation. |
| H315 | Causes skin irritation. |
| H335 | May cause respiratory irritation. |
| Precautionary statements: | |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P280 | Wear protective gloves/ protective clothing / eye protection / face protection. |
| P370+P378 | In case of fire: use to extinguish. |
| P261 | Avoid breathing dust / fume / gas / mist / vapours / spray. |
| P312 | Call a POISON CENTRE / doctor / if you feel unwell. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| Contains: | PURE N-AMYL ALCOHOL |
| | HYDROCHLORIC ACID |

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\ge 0.1\%$.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

| Identification | | x = Conc. % | Classification (EC) 1272/2008 (CLP) |
|------------------------|-----------------------------|---------------|--|
| INDEX | YL ALCOHOL | 74 ≤ x < 78 | Flam. Liq. 3 H226, Acute Tox. 4 H332, Skin Irrit. 2 H315, STOT SE 3 H335 |
| EC CAS HYDROCHLO | 71-41-0 ORIC ACID | | ATE Inhalation mists/powders: 1,5 mg/l, ATE Inhalation vapours: 11 mg/l |
| INDEX | 017-002-01-X | 10 ≤ x < 11,5 | Met. Corr. 1 H290, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Classification note according to Annex VI to the CLP Regulation: B |
| EC | 231-595-7 | | Skin Corr. 1B H314: ≥ 25%, Skin Irrit. 2 H315: ≥ 10% - < 25%, Eye Dam. 1 H318: ≥ 25%, Eye Irrit. 2 H319: ≥ 10% - < 25%, STOT SE 3 H335: ≥ 10% |
| CAS REACH Reg. | 7647-01-0 01-2119484862- | 27-XXXX | |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.



SECTION 4. First aid measures/>>

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Call a POISON CENTRE / doctor / . . . if you feel unwell.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

Send away individuals who are not suitably equipped. Use explosion-proof equipment. Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point



Revision nr.8 Dated 17/01/2025 Printed on 17/01/2025 Page n. 4 / 11 Replaced revision:7 (Dated 15/02/2022)

SECTION 6. Accidental release measures/>>

13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

| DEU | Deutschland | Forschungsgemeinschaft MAK- und BAT-Werte-Liste 2022 Ständige Senatskommission zur |
|-----|----------------|--|
| DLU | Deutschland | Prüfung gesundheitsschädlicher Arbeitsstoffe Mitteilung 58 |
| ESP | España | Límites de exposición profesional para agentes químicos en España 2023 |
| FRA | France | Valeurs limites d'exposition professionnelle aux agents chimiques en FranceDécret n° 2021-1849 |
| | | du 28 décembre 2021 |
| HRV | Hrvatska | Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021) |
| ITA | Italia | Decreto Legislativo 9 Aprile 2008, n.81 |
| NOR | Norge | Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. august 2018 nr. 1255 |
| PRT | Portugal | Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os |
| | | riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos |
| POL | Polska | Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy |
| ROU | România | Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru |
| 100 | romania | modificarea si completarea hotărârii guvernului nr. 1.093/2006 |
| SWE | Sverige | Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1) |
| SVN | Slovenija | Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19) |
| TUR | Türkiye | Kimyasal Maddelerle Çalışmalarda Sağlık ve Güvenlik Önlemleri Hakkında Yönetmelik 12.08.2013 / 28733; 20.10.2023 / 32345. |
| GBR | United Kingdom | EH40/2005 Workplace exposure limits (Fourth Edition 2020) |
| EU | OEL EU | Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC. |
| | TLV-ACGIH | ACGIH 2023 |



Revision nr.8 Dated 17/01/2025 Printed on 17/01/2025 Page n. 5 / 11 Replaced revision:7 (Dated 15/02/2022)

SECTION 8. Exposure controls/personal protection .../>>

| | | | H | HYDROCHLORIC | ACID | |
|-------------------|---------|--------|-----|--------------|-------|------------------------|
| Threshold Limit V | /alue | | | | | |
| Туре | Country | TWA/8h | | STEL/15mir | า | Remarks / Observations |
| | | mg/m3 | ppm | mg/m3 | ppm | |
| AGW | DEU | 3 | 2 | 6 (C) | 4 (C) | |
| VLA | ESP | 7,6 | 5 | 15 | 10 | |
| VLEP | FRA | | | 7,6 | 5 | |
| GVI/KGVI | HRV | 8 | 5 | 15 | 10 | |
| VLEP | ITA | 8 | 5 | 15 | 10 | |
| TLV | NOR | 7 | | 5 (C) | | |
| VLE | PRT | 8 | 5 | 15 | 10 | |
| NDS/NDSCh | POL | 5 | | 10 | | |
| TLV | ROU | 8 | 5 | 15 | 10 | |
| NGV/KGV | SWE | 3 | 2 | 6 | 4 | |
| MV | SVN | 8 | 5 | 16 | 10 | |
| ESD | TUR | 8 | 5 | 15 | 10 | |
| WEL | GBR | 2 | 1 | 8 | 5 | |
| OEL | EU | 8 | 5 | 15 | 10 | |
| TLV-ACGIH | | | | 2,9 (C) | 2 (C) | |

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

Consider the appropriateness of providing antistatic clothing in the case of working environments in which there is a risk of explosion. EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Properties | Value | 1 |
|---|---|---|
| Appearance | liquid | |
| Colour | colourless | |
| Odour | not available | |
| Melting point / freezing point | not available | |
| Initial boiling point | not available | |
| Flammability | not applicable | |
| Lower explosive limit | not available | |
| Upper explosive limit | not available | |
| Flash point | 23 ≤ T ≤ 60 °C | |
| Initial boiling point Flammability Lower explosive limit Upper explosive limit | not available not applicable not available not available | |

Information



Revision nr.8 Dated 17/01/2025 Printed on 17/01/2025 Page n. 6 / 11 Replaced revision:7 (Dated 15/02/2022)

SECTION 9. Physical and chemical properties/>>

Auto-ignition temperature Decomposition temperature pH Kinematic viscosity Solubility Partition coefficient: n-octanol/water Vapour pressure Density and/or relative density Relative vapour density Particle characteristics not available not available 0 - 1 not available not available not available 0,88 not available not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

HYDROCHLORIC ACID

Risk of explosion on contact with: alkaline metals, aluminium powder, hydrogen cyanide, alcohol.

10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

10.5. Incompatible materials

HYDROCHLORIC ACID

Incompatible with: alkalis,organic substances,strong oxidants,metals.

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

HYDROCHLORIC ACID

In decomposition develops: hydrochloric acid fumes.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure



Revision nr.8 Dated 17/01/2025 Printed on 17/01/2025 Page n. 7 / 11 Replaced revision:7 (Dated 15/02/2022)

SECTION 11. Toxicological information ... / >>

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture: ATE (Inhalation - vapours) of the mixture: ATE (Oral) of the mixture:

ATE (Dermal) of the mixture:

PURE N-AMYL ALCOHOL LD50 (Dermal): LD50 (Oral):

HYDROCHLORIC ACID LD50 (Dermal): LC50 (Inhalation mists/powders):

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

1,92 mg/l 14,10 mg/l Not classified (no significant component) Not classified (no significant component)

> 2306 mg/kg Coniglio > 3670 mg/kg Ratto

> 5010 mg/kg Coniglio 1,68 mg/l/4h Ratto



BIOLIFE ITALIANA S.R.L.

Revision nr.8 Dated 17/01/2025 Printed on 17/01/2025 Page n. 8 / 11 Replaced revision:7 (Dated 15/02/2022)

19171001 - KOVACS' REAGENT

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

PURE N-AMYL ALCOHOL LC50 - for Fish EC50 - for Crustacea

474 mg/l/96h 52,9 mg/l/48h

12.2. Persistence and degradability

HYDROCHLORIC ACID Solubility in water Degradability: information not available

> 10000 mg/l

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Waste transportation may be subject to ADR restrictions.

The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number or ID number

ADR / RID, IMDG, IATA: UN 2920

14.2. UN proper shipping name

ADR / RID:CORROSIVE LIQUID, FLAMMABLE, N.O.S. (HYDROCHLORIC ACID; PURE N-AMYL ALCOHOL)IMDG:CORROSIVE LIQUID, FLAMMABLE, N.O.S. (HYDROCHLORIC ACID; PURE N-AMYL ALCOHOL)IATA:CORROSIVE LIQUID, FLAMMABLE, N.O.S. (HYDROCHLORIC ACID; PURE N-AMYL ALCOHOL)



Revision nr.8 Dated 17/01/2025 Printed on 17/01/2025 Page n. 9 / 11 Replaced revision:7 (Dated 15/02/2022)

SECTION 14. Transport information ... / >>

14.3. Transport hazard class(es)

| ADR / RID: | Class: 8 | Label: 8 (3) | |
|------------|----------|--------------|--|
| IMDG: | Class: 8 | Label: 8 (3) | |
| IATA: | Class: 8 | Label: 8 (3) | |

14.4. Packing group

ADR / RID, IMDG, IATA: II

14.5. Environmental hazards

ADR / RID: NO IMDG: not marine pollutant IATA: NO

14.6. Special precautions for user

ADR / RID:

IMDG:

IATA:

HIN - Kemler: 83 Special provision: 274 EMS: F-E, S-C Cargo: Passengers: Special provision: Limited Quantities: 1 It

Limited Quantities: 1 lt Maximum quantity: 30 L Maximum quantity: 1 L

P5c

Tunnel restriction code: (D/E)

Packaging instructions: 855 Packaging instructions: 851

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU:

 Product
 3 - 40

 Contained substance
 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)
None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention:



Revision nr.8 Dated 17/01/2025 Printed on 17/01/2025 Page n. 10 / 11 Replaced revision:7 (Dated 15/02/2022)

SECTION 15. Regulatory information ... / >>

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

| Met. Corr. 1Substance or mixture corrosive to metals, category 1Acute Tox. 4Acute toxicity, category 4Skin Corr. 1BSkin corrosion, category 1BSkin Corr. 1CSkin corrosion, category 1CSkin Corr. 1Skin corrosion, category 1Eye Dam. 1Serious eye damage, category 1Eye Irrit. 2Eye irritation, category 2Skin Irrit. 2Skin irritation, category 2Stort SE 3Specific target organ toxicity - single exposure, category 3H226Flammable liquid and vapour.H332Harmful if inhaled.H314Causes serious eye damage.H318Causes serious eye irritation.H335May cause respiratory irritation. |
|--|
|--|

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament



ΕN

SECTION 16. Other information ... / >>

- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- 23. Delegated Regulation (UE) 2023/707
- 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
- 25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
- 26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)

- The Merck Index. - 10th Edition

- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified: 01 / 03 / 04 / 08 / 09 / 11 / 13 / 14 / 16.