

4014612 - ENDO BROTH MEMBRANE FILTER

Revision nr.1 Dated 30/01/2025 First compilation Printed on 30/01/2025 Page n. 1 / 10

| 0                               |                                    |   | Page n. 1 / 10                        |
|---------------------------------|------------------------------------|---|---------------------------------------|
|                                 | S                                  | afety Data Sheet  |                                       |
|                                 |                                    | nnex II to REACH - Regulation (EU) 2020/87  | · o                                   |
|                                 |                                    |   | 0                                     |
| <b>SECTION 1. Identifica</b>    | ation of the substance             | /mixture and of the company/  | undertaking                           |
| 1.1. Product identifier         |                                    |   |                                       |
| Code:                           | 401461                             | 2   |                                       |
| Product name                    | ENDO                               | BROTH MEMBRANE FILTER   |                                       |
| 1.2. Relevant identified uses   | of the substance or mixture ar     | nd uses advised against   |                                       |
| Intended use                    | Labora                             | tory chemical product. Culture ground for   | or microbiology.                      |
| 1.3. Details of the supplier of | the safety data sheet              |   |                                       |
| Name                            |                                    | E ITALIANA S.R.L.   |                                       |
| Full address                    | Viale N<br>20128                   | Ionza, 272<br>Milano  | (Milano)                              |
| District and Country            | 20126<br>Tel.                      | Italia<br>0039 02 252091  | (minano)                              |
| e-mail address of the compe     |                                    | 0039 02 252091  |                                       |
| responsible for the Safety D    | ata Sheet mktg@                    | gbiolifeitaliana.it   |                                       |
| 1.4. Emergency telephone nu     | Imber                              |   |                                       |
| For urgent inquiries refer to   |                                    | 1in England: 111<br>in Scotland: 111  |                                       |
|                                 | NHS D                              | irect in Wales: 111 or 0845 4647  |                                       |
|                                 | In an e                            | mergency, if the patient has collapsed or   | r is not breathing properly, call 999 |
| <b>SECTION 2. Hazards</b>       | identification                     |   |                                       |
| 2.1. Classification of the sub  | stance or mixture                  |   |                                       |
|                                 |                                    | sions set forth in (EC) Regulation 1272/2008<br>a safety datasheet that complies with the pro |                                       |
| Any additional information c    | oncerning the risks for health and | d/or the environment are given in sections 1  | 1 and 12 of this sheet.               |
| Hazard classification and in    |                                    | H350 May cause can  |                                       |
| Carcinogenicity, category       | / IB                               | H350 May cause can  |                                       |
| 2.2. Label elements             |                                    |   |                                       |
| Hazard labelling pursuant to    | EC Regulation 1272/2008 (CLP       | e) and subsequent amendments and supple   | ments.                                |
| Hazard pictograms:              |                                    |   |                                       |
|                                 |                                    |   |                                       |
|                                 |                                    |   |                                       |
|                                 |                                    |   |                                       |
|                                 |                                    |   |                                       |
| Signal words:                   | Danger                             |   |                                       |

Hazard statements: H350 EUH031

May cause cancer. Contact with acids liberates toxic gas. Restricted to professional users.

Precautionary statements:



4014612 - ENDO BROTH MEMBRANE FILTER

Revision nr.1 Dated 30/01/2025 First compilation Printed on 30/01/2025 Page n. 2 / 10

#### SECTION 2. Hazards identification .../>>

| P201      | Obtain special instructions before use.   |
|-----------|---|
| P280      | Wear protective gloves/ protective clothing / eye protection / face protection. |
| P308+P313 | IF exposed or concerned: Get medical advice / attention.                        |
| Contains: | BASIC FUCHSIN   |

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\ge 0.1\%$ .

# **SECTION 3. Composition/information on ingredients**

#### 3.2. Mixtures

Contains:

| Identification |                 | x = Conc. % | Classification (EC) 1272/2008 (CLP) |
|----------------|-----------------|-------------|-------------------------------------|
| SODIUM SULI    | PHITE           |             |                                     |
| INDEX          |                 | 4 ≤ x < 4,5 | EUH031                              |
| EC             | 231-821-4       |             |                                     |
| CAS            | 7757-83-7       |             |                                     |
| REACH Reg.     | 01-2119537420-4 | 9-XXXX      |                                     |
| BASIC FUCHS    | SIN             |             |                                     |
| INDEX          | 611-031-00-X    | 2 ≤ x < 2,5 | Carc. 1B H350                       |
| EC             | 209-321-2       |             |                                     |
| CAS            | 569-61-9        |             |                                     |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## **SECTION 4. First aid measures**

## 4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. Get medical advice/attention.

#### Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

#### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get medical advice / attention.

Means to have available in the workplace for specific and immediate treatment

ΕN



4014612 - ENDO BROTH MEMBRANE FILTER

Running water for skin and eye wash.

# **SECTION 5. Firefighting measures**

## 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

## 5.2. Special hazards arising from the substance or mixture

### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products. The product is combustible and, when the powder is released into the air in sufficient concentrations and in the presence of a source of ignition, it can create explosive mixtures with air. Fires may start or get worse by leakage of the solid product from the container, when it reaches high temperatures or through contact with sources of ignition.

#### 5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## **SECTION 6.** Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available



4014612 - ENDO BROTH MEMBRANE FILTER

## **SECTION 8. Exposure controls/personal protection**

### 8.1. Control parameters

| SODIUM SULPHITE                    |               |             |         |          |              |          |         |          |
|------------------------------------|---------------|-------------|---------|----------|--------------|----------|---------|----------|
| Predicted no-effect con            | ncentration   | - PNEC      |         |          |              |          |         |          |
| Normal value in fresh              | n water       |             |         |          |              | 1,33     | mg/l    |          |
| Normal value in mari               | ne water      |             |         |          |              | 0,33     | mg/l    |          |
| Normal value of STP microorganisms |               |             |         |          |              | 99,9     | mg/l    |          |
| Health - Derived no-eff            | ect level - D | NEL / DMEL  |         |          |              |          |         |          |
|                                    | Effects or    | n consumers |         |          | Effects on v | workers  |         |          |
| Route of exposure                  | Acute         | Acute       | Chronic | Chronic  | Acute        | Acute    | Chronic | Chronic  |
|                                    | local         | systemic    | local   | systemic | local        | systemic | local   | systemic |
| Inhalation                         |               |             |         |          |              |          |         | 298      |
|                                    |               |             |         |          |              |          |         | mg/m3    |

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment. The above values are not TLVs, but guide values, to be used for particles that do not have their own TLV and that are insoluble or poorly soluble in water and have low toxicity.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

The product must be used inside a closed circuit, in a well-ventilated environment and with strong localised aspiration systems in place. If the product may or must come into contact or react with acids, suitable technical and/or organisational measures should be taken to prevent the development of toxic and/or inflammable gases.

#### HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374). Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

## SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

If the operator is exposed to a carcinogenic or mutagenic agent, Use a mask with a type FFP3 facemask (see standard EN 149). Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## **SECTION 9.** Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

| Properties                     | Value          |
|--------------------------------|----------------|
| Appearance                     | powder         |
| Colour                         | violet         |
| Odour                          | not available  |
| Melting point / freezing point | not available  |
| Initial boiling point          | not applicable |
| Flammability                   | not available  |
| Lower explosive limit          | not available  |
| Upper explosive limit          | not available  |
| Flash point                    | not applicable |

Information



4014612 - ENDO BROTH MEMBRANE FILTER

Revision nr.1 Dated 30/01/2025 First compilation Printed on 30/01/2025 Page n. 5 / 10

## SECTION 9. Physical and chemical properties .... / >>

| Auto-ignition temperature              |
|--|
| Decomposition temperature              |
| рН                                     |
| Kinematic viscosity                    |
| Solubility                             |
| Partition coefficient: n-octanol/water |
| Vapour pressure                        |
| Density and/or relative density        |
| Relative vapour density                |
| Particle characteristics               |
|  |

not available not available 7,0 - 7,4 not available not available not available not available not available not available not available

Temperature: 25 °C

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

## **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

The powders are potentially explosive when mixed with air.

#### 10.4. Conditions to avoid

Avoid environmental dust build-up.

#### 10.5. Incompatible materials

Information not available

#### 10.6. Hazardous decomposition products

Information not available

## **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure



4014612 - ENDO BROTH MEMBRANE FILTER

Revision nr.1 Dated 30/01/2025 First compilation Printed on 30/01/2025 Page n. 6 / 10

### SECTION 11. Toxicological information ... / >>

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

> BASIC FUCHSIN LD50 (Oral):

5000 mg/kg

Not classified (no significant component)

Not classified (no significant component)

Not classified (no significant component)

SODIUM SULPHITE LD50 (Oral):

SKIN CORROSION / IRRITATION

> 2610 RAT

\_\_\_\_\_

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

May cause cancer

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

## 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

## **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

### 12.1. Toxicity

Information not available



4014612 - ENDO BROTH MEMBRANE FILTER

Revision nr.1 Dated 30/01/2025 First compilation Printed on 30/01/2025 Page n. 7 / 10 ΕN

## SECTION 12. Ecological information ... / >>

#### 12.2. Persistence and degradability

Information not available

#### 12.3. Bioaccumulative potential

Information not available

### 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

#### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

## **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

## 14.1. UN number or ID number

not applicable

#### 14.2. UN proper shipping name

not applicable

## 14.3. Transport hazard class(es)

not applicable

#### 14.4. Packing group

not applicable



4014612 - ENDO BROTH MEMBRANE FILTER

Revision nr.1 Dated 30/01/2025 First compilation Printed on 30/01/2025 Page n. 8 / 10

SECTION 14. Transport information ... / >>

### 14.5. Environmental hazards

not applicable

## 14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

# **SECTION 15. Regulatory information**

| SECTION 15. Regulatory information   |                          |  |  |  |  |
|--|--------------------------|--|--|--|--|
|  |                          |  |  |  |  |
| 15.1. Safety, health and env   | vironmental regulation   | ns/legislation specific for the substance or mixture                 |  |  |  |
| Seveso Category - Directive 2012/18/EU: None   |                          |  |  |  |  |
|  |                          |  |  |  |  |
| ŭ  | product or contained s   | substances pursuant to Annex XVII to EC Regulation 1907/2006         |  |  |  |
| Product  | 40                       |  |  |  |  |
| Point  | 40                       |  |  |  |  |
| Contained substance<br>Point   | 72-75                    | BASIC FUCHSIN  |  |  |  |
| Folin  | 12-15                    | BASIC FUCHSIN  |  |  |  |
| Regulation (EU) 2019/114   | 8 - on the marketing an  | nd use of explosives precursors                                      |  |  |  |
| not applicable   |                          | <u></u>  |  |  |  |
|  |                          |  |  |  |  |
| Substances in Candidate  | · · ·                    | -  |  |  |  |
| On the basis of available of   | data, the product does r | not contain any SVHC in percentage ≥ than 0,1%.                      |  |  |  |
| Substances subject to aut  | horisation (Annox XIV/E  |  |  |  |  |
| None   |                          |  |  |  |  |
| None   |                          |  |  |  |  |
| Substances subject to exp  | ortation reporting pursu | uant to Regulation (EU) 649/2012:                                    |  |  |  |
| None   |                          |  |  |  |  |
|  |                          |  |  |  |  |
| Substances subject to the  | Rotterdam Convention     | <u></u>  |  |  |  |
| None   |                          |  |  |  |  |
| Substances subject to the  | Stockholm Convention     | 1  |  |  |  |
| Substances subject to the Stockholm Convention:  |                          |  |  |  |  |
|  |                          |  |  |  |  |
| Healthcare controls  |                          |  |  |  |  |
| Workers exposed to this health-dangerous chemical agent must undergo sanitary checks carried out in compliance with 2004/37/EC |                          |  |  |  |  |
| directive.   |                          |  |  |  |  |
| 15.2. Chemical safety assessment   |                          |  |  |  |  |
| A chemical safety assess   | nent has not been perfo  | prmed for the preparation/for the substances indicated in section 3. |  |  |  |

# **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

| Carc. 1B | Carcinogenicity, category 1B            |
|----------|---|
| H350     | May cause cancer.                       |
| EUH031   | Contact with acids liberates toxic gas. |

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level



4014612 - ENDO BROTH MEMBRANE FILTER

Revision nr.1 Dated 30/01/2025 First compilation Printed on 30/01/2025 Page n. 9 / 10

### SECTION 16. Other information ... / >>

- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- 23. Delegated Regulation (UE) 2023/707
- 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
- 25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
- 26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property.



Revision nr.1 Dated 30/01/2025 First compilation Printed on 30/01/2025 Page n. 10 / 10

4014612 - ENDO BROTH MEMBRANE FILTER

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

#### CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.