

# **BIOLIFE ITALIANA S.R.L.**

4017404 - MUELLER HINTON AGAR II

Revision nr.1 Dated 31/01/2025 First compilation Printed on 31/01/2025

U		Page n. 1/9
	Safety Data Sheet	
	According to Annex II to REACH - Regulation (EU) 2020/87	8
SECTION 1. Identi	ification of the substance/mixture and of the company/	undertaking
1.1. Product identifier		
Code: Product name	4017404 MUELLER HINTON AGAR II	
1.2. Relevant identified ι	uses of the substance or mixture and uses advised against	
Intended use	Laboratory chemical product. Culture ground for	or microbiology.
4.2 Details of the sumpli	an af tha anfatu data abaat	

# 1.3. Details of the supplier of the safety data sheet

Name Full address	BIOLIFE I Viale Mor	ITALIANA S.R.L. nza, 272	
District and Country	20128	Milano Italia	(Milano)
	Tel.	0039 02 252091	
e-mail address of the competent person responsible for the Safety Data Sheet	mktg@bi	iolifeitaliana.it	
1.4. Emergency telephone number			
For urgent inquiries refer to	NHS111ir	n England: 111	
	NHS24in	Scotland: 111	
	NHS Dire	ct in Wales: 111 or 0845 4647	

In an emergency, if the patient has collapsed or is not breathing properly, call 999

# **SECTION 2. Hazards identification**

### 2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878.

Hazard classification and indication:

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:	
Signal words:	-
Hazard statements: EUH210	Safety data sheet available on request.
Precautionary statements:	

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\geq 0.1\%$ .

ΕN



4017404 - MUELLER HINTON AGAR II

Revision nr.1 Dated 31/01/2025 First compilation Printed on 31/01/2025 Page n. 2 / 9

# **SECTION 3. Composition/information on ingredients**

#### 3.2. Mixtures

Contains:

INDFX

EC CAS

Identification

SODIUM CARBONATE

BONATE 011-005-00-2 1 ≤ x < 1,5 207-838-8 497-19-8

Eye Irrit. 2 H319

Classification (EC) 1272/2008 (CLP)

The full wording of hazard (H) phrases is given in section 16 of the sheet.

x = Conc. %

# SECTION 4. First aid measures

#### 4.1. Description of first aid measures

No effects requiring implementation of special first aid measures are expected. The following information represents practical indications of correct behaviour in the event of contact with a chemical product, even if not hazardous.

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. Get medical advice/attention.

#### Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

#### 4.3. Indication of any immediate medical attention and special treatment needed

If symptoms occur, whether acute or delayed, consult a doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

# **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products. The product is combustible and, when the powder is released into the air in sufficient concentrations



4017404 - MUELLER HINTON AGAR II

Revision nr.1 Dated 31/01/2025 First compilation Printed on 31/01/2025 Page n. 3/9

#### SECTION 5. Firefighting measures ... / >>

and in the presence of a source of ignition, it can create explosive mixtures with air. Fires may start or get worse by leakage of the solid product from the container, when it reaches high temperatures or through contact with sources of ignition.

#### 5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

# **SECTION 6.** Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

#### **SECTION 8. Exposure controls/personal protection**

România

#### 8.1. Control parameters

Regulatory references:

ROU

Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea și completarea hotărârii guvernului nr. 1.093/2006



4017404 - MUELLER HINTON AGAR II

Revision nr.1 Dated 31/01/2025 First compilation Printed on 31/01/2025 Page n. 4 / 9

### SECTION 8. Exposure controls/personal protection ... / >>

				SODIU	M CARBONA	ГЕ			
Threshold Limit	Value								
Туре	Country	TWA/8h			STEL/15min		Remarks / Observa	tions	
		mg/m3	ppm		mg/m3	ppm			
TLV	ROU	1			3				
Health - Derived	no-effect lev	/el - DNEL / D	MEL						
	Effe	ects on consun	ners			Effects o	n workers		
Route of expo	sure Acu	ute Acute	е	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	loca	al syste	emic	local	systemic	local	systemic	local	systemic
Inhalation	10							10	
	mg	/m3						mg/m3	

#### Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment. The above values are not TLVs, but guide values, to be used for particles that do not have their own TLV and that are insoluble or poorly soluble in water and have low toxicity.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374). Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard EN 149).

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

# **SECTION 9.** Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	powder	
Colour	beige	
Odour	not available	
Melting point / freezing point	not available	
Initial boiling point	not applicable	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	not applicable	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	7,2 - 7,4	Temperature: 25 °C
Kinematic viscosity	not available	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not available	



4017404 - MUELLER HINTON AGAR II

Revision nr.1 Dated 31/01/2025 First compilation Printed on 31/01/2025 Page n. 5 / 9

### SECTION 9. Physical and chemical properties .../>>

### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

# **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

The powders are potentially explosive when mixed with air.

#### 10.4. Conditions to avoid

Avoid environmental dust build-up.

#### 10.5. Incompatible materials

Information not available

#### 10.6. Hazardous decomposition products

Information not available

## **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

SODIUM CARBONATE

Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)



# BIOLIFE ITALIANA S.R.L. 4017404 - MUELLER HINTON AGAR II

Revision nr.1 Dated 31/01/2025 First compilation Printed on 31/01/2025 Page n. 6 / 9

### SECTION 11. Toxicological information ..../>>

LD50 (Dermal): LD50 (Oral): LC50 (Inhalation mists/powders): 117 mg/kg Mouse 4090 mg/kg Rat 2,3 mg/l/2h Rat

#### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

#### SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

#### RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

#### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

# **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity

SODIUM CARBONATE LC50 - for Fish EC50 - for Crustacea

300 mg/l/96h Lepomis macrochirus 200 mg/l/48h Ceriodaphnia dubia

#### 12.2. Persistence and degradability

SODIUM CARBONATE Solubility in water Degradability: information not available

1000 - 10000 mg/l

#### 12.3. Bioaccumulative potential

Information not available



4017404 - MUELLER HINTON AGAR II

# SECTION 12. Ecological information ... / >>

### 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

#### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

# **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number or ID number

not applicable

#### 14.2. UN proper shipping name

not applicable

#### 14.3. Transport hazard class(es)

not applicable

#### 14.4. Packing group

not applicable

#### 14.5. Environmental hazards

not applicable

#### 14.6. Special precautions for user

not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant



4017404 - MUELLER HINTON AGAR II

Revision nr.1 Dated 31/01/2025 First compilation Printed on 31/01/2025 Page n. 8 / 9

	ulatory information	
1. Safety, health and e	environmental regulations/leg	gislation specific for the substance or mixture
Seveso Category - Dire	ective 2012/18/EU:	None
	the product or contained substa	ances pursuant to Annex XVII to EC Regulation 1907/2006
Contained substance Point	75	
Regulation (EU) 2019/1 not applicable	148 - on the marketing and use	e of explosives precursors
	te List (Art. 59 REACH) le data, the product does not cc	ontain any SVHC in percentage ≥ than 0,1%.
Substances subject to a None	authorisation (Annex XIV REAC	CH)
Substances subject to e None	exportation reporting pursuant t	o Regulation (EU) 649/2012:
Substances subject to t None	he Rotterdam Convention:	
Substances subject to t None	he Stockholm Convention:	
Healthcare controls		
nformation not availabl	e	
2. Chemical safety as	sassmant	
2. Onemical safety as	sessment	
A chemical safety asses	ssment has not been performed	for the preparation/for the substances indicated in section 3.
CTION 16. Othe	er information	
	er information ations mentioned in section 2-3	of the sheet:
Text of hazard (H) indic	ations mentioned in section 2-3	
Text of hazard (H) indic Eye Irrit. 2	ations mentioned in section 2-3 Eye irritation, category	/ 2
Text of hazard (H) indic Eye Irrit. 2 H319	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr	/ 2 ritation.
Text of hazard (H) indic Eye Irrit. 2	ations mentioned in section 2-3 Eye irritation, category	/ 2 ritation.
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr	/ 2 ritation.
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND:	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai	/ 2 ritation. ilable on request.
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai	/ 2 ritation. ilable on request.
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity E	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage o stimate	/ 2 ritation. ilable on request.
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity Es - CAS: Chemical Abstra	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage o stimate act Service Number	/ 2 ritation. ilable on request. of Dangerous goods by Road
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity Es - CAS: Chemical Abstra - CE50: Effective conce	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage o stimate	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect)
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity Es - CAS: Chemical Abstra - CE50: Effective conce - CE: Identifier in ESIS - CLP: Regulation (EC)	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage of stimate act Service Number entration (required to induce a 50 (European archive of existing su 1272/2008	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect)
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity E: - CAS: Chemical Abstra - CE50: Effective conce - CE: Identifier in ESIS - CLP: Regulation (EC) - DNEL: Derived No Eff	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage of stimate act Service Number Intration (required to induce a 50 (European archive of existing su 1272/2008 ect Level	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect)
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity E: - CAS: Chemical Abstra - CE50: Effective conce - CE: Identifier in ESIS - CLP: Regulation (EC) - DNEL: Derived No Eff - EmS: Emergency Sch	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage of stimate act Service Number Intration (required to induce a 50 (European archive of existing su 1272/2008 ect Level edule	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect) ubstances)
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity E: - CAS: Chemical Abstra - CE50: Effective conce - CE: Identifier in ESIS i - CLP: Regulation (EC) - DNEL: Derived No Eff - EmS: Emergency Sch - GHS: Globally Harmon	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai sement concerning the carriage of stimate act Service Number Intration (required to induce a 50 (European archive of existing su 1272/2008 ect Level edule nized System of classification an	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect) ubstances) nd labeling of chemicals
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity E: - CAS: Chemical Abstra - CE50: Effective conce - CE: Identifier in ESIS i - CLP: Regulation (EC) - DNEL: Derived No Eff - EmS: Emergency Sch - GHS: Globally Harmon - IATA DGR: Internatior	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai sement concerning the carriage of stimate act Service Number Intration (required to induce a 50 (European archive of existing su 1272/2008 ect Level edule nized System of classification and nal Air Transport Association Da	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect) ubstances) nd labeling of chemicals
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity E: - CAS: Chemical Abstra - CE50: Effective conce - CE: Identifier in ESIS i - CLP: Regulation (EC) - DNEL: Derived No Eff - EmS: Emergency Sch - GHS: Globally Harmon - IATA DGR: Internatior - IC50: Immobilization C	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai sement concerning the carriage of stimate act Service Number intration (required to induce a 50 (European archive of existing su 1272/2008 ect Level edule nized System of classification an nal Air Transport Association Da Concentration 50%	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect) ubstances) nd labeling of chemicals angerous Goods Regulation
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity E: - CAS: Chemical Abstra - CE50: Effective conce - CE: Identifier in ESIS i - CLP: Regulation (EC) - DNEL: Derived No Eff - EmS: Emergency Sch - GHS: Globally Harmoo - IATA DGR: Internatior - IC50: Immobilization C - IMDG: International M	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage of stimate act Service Number intration (required to induce a 50 (European archive of existing su 1272/2008 ect Level edule nized System of classification an nal Air Transport Association Da Concentration 50% aritime Code for dangerous good	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect) ubstances) nd labeling of chemicals angerous Goods Regulation
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: ADR: European Agree ATE: Acute Toxicity E: CAS: Chemical Abstra CE50: Effective conce CE: Identifier in ESIS / CLP: Regulation (EC) DNEL: Derived No Eff EmS: Emergency Sch GHS: Globally Harmoi IATA DGR: Internation (C IMDG: International Ma IMO: International Ma	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage of stimate act Service Number intration (required to induce a 50 (European archive of existing su 1272/2008 ect Level edule nized System of classification an nal Air Transport Association Da Concentration 50% aritime Code for dangerous goo ritime Organization	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect) ubstances) nd labeling of chemicals angerous Goods Regulation
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity E: - CAS: Chemical Abstra - CE50: Effective conce - CE: Identifier in ESIS / - CLP: Regulation (EC) - DNEL: Derived No Eff - EmS: Emergency Sch - GHS: Globally Harmoi - IATA DGR: Internation - IATA DGR: Internation (C) - IMDG: International Mai - INDEX: Identifier in Ar	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage of stimate act Service Number intration (required to induce a 50 (European archive of existing su 1272/2008 ect Level edule nized System of classification an nal Air Transport Association Da Concentration 50% aritime Code for dangerous goo ritime Organization nnex VI of CLP	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect) ubstances) nd labeling of chemicals angerous Goods Regulation
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity E: - CAS: Chemical Abstra - CE50: Effective conce - CE: Identifier in ESIS - CLP: Regulation (EC) - DNEL: Derived No Eff - EmS: Emergency Sch - GHS: Globally Harmoo - IATA DGR: Internation - IATA DGR: Internation (CC) - IMDG: International Mai - IMDG: International Mai - INDEX: Identifier in Ar - LC50: Lethal Concenti - LD50: Lethal dose 50%	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage of stimate act Service Number intration (required to induce a 50 (European archive of existing su 1272/2008 ect Level edule nized System of classification an al Air Transport Association Da Concentration 50% aritime Code for dangerous good ritime Organization nnex VI of CLP ration 50%	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect) ubstances) nd labeling of chemicals angerous Goods Regulation
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity E: - CAS: Chemical Abstra - CE50: Effective conce - CE: Identifier in ESIS - CLP: Regulation (EC) - DNEL: Derived No Eff - EmS: Emergency Sch - GHS: Globally Harmou - IATA DGR: Internation - IC50: Immobilization C - IMDG: International Ma - INDEX: Identifier in Ar - LC50: Lethal Concent - LD50: Lethal dose 50 - OEL: Occupational Ex	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage of stimate act Service Number intration (required to induce a 50 (European archive of existing su 1272/2008 ect Level edule nized System of classification an al Air Transport Association Da Concentration 50% aritime Code for dangerous good ritime Organization innex VI of CLP ration 50% %	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect) ubstances) nd labeling of chemicals angerous Goods Regulation
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity E: - CAS: Chemical Abstra - CE50: Effective conce - CE: Identifier in ESIS - CLP: Regulation (EC) - DNEL: Derived No Eff - EmS: Emergency Sch - GHS: Globally Harmou - IATA DGR: Internation - IC50: Immobilization C - IMDG: International Mai - INDEX: Identifier in Ar - LC50: Lethal Concent - LD50: Lethal dose 509 - OEL: Occupational Ex - PBT: Persistent, bioac	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage of stimate act Service Number entration (required to induce a 50 (European archive of existing su 1272/2008 ect Level edule nized System of classification an al Air Transport Association Da Concentration 50% aritime Code for dangerous good ritime Organization onex VI of CLP ration 50% % posure Level exumulative and toxic	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect) ubstances) nd labeling of chemicals angerous Goods Regulation
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity E: - CAS: Chemical Abstra - CE50: Effective conce - CE: Identifier in ESIS - CLP: Regulation (EC) - DNEL: Derived No Eff - EmS: Emergency Sch - GHS: Globally Harmou - IATA DGR: Internation - INDG: International Ma - INDG: International Ma - INDEX: Identifier in Ar - LC50: Lethal Concent - LD50: Lethal dose 50° - OEL: Occupational Ex - PBT: Persistent, bioac - PEC: Predicted enviro	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage of stimate act Service Number entration (required to induce a 50 (European archive of existing su 1272/2008 ect Level edule nized System of classification an al Air Transport Association Da Concentration 50% aritime Code for dangerous good ritime Organization onex VI of CLP ration 50% % posure Level exumulative and toxic inmental Concentration	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect) ubstances) nd labeling of chemicals angerous Goods Regulation
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity E: - CAS: Chemical Abstra - CE50: Effective conce - CE: Identifier in ESIS - CLP: Regulation (EC) - DNEL: Derived No Eff - EmS: Emergency Sch - GHS: Globally Harmou - IATA DGR: Internation C - IMDG: International Ma - INDEX: Identifier in Ar - LC50: Lethal Concentt - LD50: Lethal dose 50° - OEL: Occupational Ex - PBT: Persistent, bioac - PEC: Predicted enviro	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage of stimate act Service Number entration (required to induce a 50 (European archive of existing su 1272/2008 ect Level edule nized System of classification an al Air Transport Association Da Concentration 50% aritime Code for dangerous good ritime Organization nnex VI of CLP ration 50% % posure Level ecumulative and toxic inmental Concentration ure level	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect) ubstances) nd labeling of chemicals angerous Goods Regulation
Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity E - CAS: Chemical Abstra - CE50: Effective conce - CE: Identifier in ESIS - CLP: Regulation (EC) - DNEL: Derived No Eff - EmS: Emergency Sch - GHS: Globally Harmou - IATA DGR: Internation - IATA DGR: Internation C - IMDG: International Ma - INDEX: Identifier in Ar - LC50: Lethal Concent - DDEL: Occupational Ex - OEL: Occupational Ex - PBT: Persistent, bioac - PEC: Predicted expose - PMT: Persistent, mobi	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage of stimate act Service Number entration (required to induce a 50 (European archive of existing su 1272/2008 ect Level edule nized System of classification an al Air Transport Association Da Concentration 50% aritime Code for dangerous good ritime Organization nnex VI of CLP ration 50% % posure Level exumulative and toxic inmental Concentration ure level le and toxic	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect) ubstances) nd labeling of chemicals angerous Goods Regulation
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity E: - CAS: Chemical Abstra - CE50: Effective conce - CE: Identifier in ESIS - CLP: Regulation (EC) - DNEL: Derived No Eff - EmS: Emergency Sch - GHS: Globally Harmou - IATA DGR: Internation - IATA DGR: Internation (C) - IMDG: International Ma - INDEX: Identifier in Ar - LC50: Lethal Concent - LD50: Lethal dose 50° - OEL: Occupational Ex - PBT: Persistent, bioac - PEC: Predicted enviro	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage of stimate act Service Number entration (required to induce a 50 (European archive of existing su 1272/2008 ect Level edule nized System of classification an al Air Transport Association Da Concentration 50% aritime Code for dangerous good ritime Organization nnex VI of CLP ration 50% % posure Level exumulative and toxic inmental Concentration ure level le and toxic	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect) ubstances) nd labeling of chemicals angerous Goods Regulation
Text of hazard (H) indic Eye Irrit. 2 H319 EUH210 LEGEND: - ADR: European Agree - ATE: Acute Toxicity E: - CAS: Chemical Abstra - CE50: Effective conce - CE: Identifier in ESIS - CLP: Regulation (EC) - DNEL: Derived No Eff - EmS: Emergency Sch - GHS: Globally Harmou - IATA DGR: Internation - INDG: International Ma - INDG: International Ma - INDCX: Identifier in Ar - LC50: Lethal Concent - LD50: Lethal Concent - DEL: Occupational Ex - PBT: Persistent, bioac - PEC: Predicted enviro - PEL: Predicted expose - PMT: Persistent, mobi	ations mentioned in section 2-3 Eye irritation, category Causes serious eye irr Safety data sheet avai ement concerning the carriage of stimate act Service Number entration (required to induce a 50 (European archive of existing su 1272/2008 ect Level edule nized System of classification an al Air Transport Association Da Concentration 50% aritime Code for dangerous good ritime Organization nnex VI of CLP ration 50% % posure Level exumulative and toxic inmental Concentration ure level le and toxic	/ 2 ritation. ilable on request. of Dangerous goods by Road 0% effect) ubstances) nd labeling of chemicals angerous Goods Regulation

EN



4017404 - MUELLER HINTON AGAR II

Revision nr.1 Dated 31/01/2025 First compilation Printed on 31/01/2025 Page n. 9/9

#### SECTION 16. Other information ... / >>

- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- 23. Delegated Regulation (UE) 2023/707
- 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
- 25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
- 26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

#### CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.